DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action

Environmental Indicator (EI) RCRIS code (CA750) Migration of Contaminated Groundwater Under Control

Facility Name: Bradford Electronics, Inc.

Facility Address: 550 High Street, Bradford, PA 16701

Facility EPA ID #: PAD 04 676 2258

1.	Has all available relevant/significant information on known and reasonably suspected releases to the
	groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units
	(SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been considered in this EI determination?
	(5 WMO), Regulated Units (RO), and Aleas of Concern (AOC)), been considered in this El determ

X	If yes - check here and continue with #2 below.		
	If no - re-evaluate existing data, or		
	If data are not available, skip to #8 and enter"IN" (more information needed) status code.		

BACKGROUND

<u>Definition of Environmental Indicators (for the RCRA Corrective Action)</u>

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Page 2

Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective

"levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?		
X	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.	
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."	
	If unknown - skip to #8 and enter "IN" status code.	

Rationale and Reference(s): There are no monitoring wells located on the property of the facility; however, sampling of the production well used for non-contact cooling water has occurred in the past.

In a report by Chester Environmental Group (April, 1991) summarizing split sample collection and analysis, contamination of groundwater was documented. Sampling at the facility from the production well commenced on January 15, 1991. Several inorganic analyses and one organic analyte exceeded the criteria outline in the Statewide Health Standard Tables for Soil and Groundwater established by Sub-chapter C Section 250.304 and 250.305 of the Pennsylvania's Land Recycling Program Regulations (Act 2) and EPA Safe Drinking Water Act Maximum Contaminant Levels (MCLs). The analytes that exceeded the both MSCs and MCLs standards include Chromium 210 ug/l (100), Nickel 210 ug/l (100), Trichloroethene 6 ug/l (5), and Iron 13,000 ug/l (300) as a secondary contaminants.

() = Act 2 and Safe Drinking Water Act Limits.


Footnotes:

2.

¹"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

3.	Has the migration of contaminated groundwater stabilized (such that contaminated groundwater)		
	expected to remain within "existing area of contaminated groundwater" as defined by the monitoring		
	locations designated at the time of this determination)?		



Rationale and Reference(s): Since the contaminants detection limits were only marginally in excess of the applicable Act 2's Medium-Specific Concentrations (MSCs), and there were no on-site soil contaminations, the migration of contaminated groundwater is considered stabilized. In addition, the residential potable wells used in the study area are at the upgradient of the facility. Groundwater ingestion exposure pathway is not a significant exposure pathway. The facility is also subject to Pennsylvania NPDES discharge requirements and currently is in compliance.

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4.	Does "contaminated" groundwater discharge into surface water bodies?		
	X	If yes - continue after identifying potentially affected surface water bodies.	
		If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.	
		If unknown - skip to #8 and enter "IN" status code.	

 $Rationale\ and\ Reference (s):\ Groundwater\ discharges\ into\ east\ branch\ of\ Tunungwant\ Creek,\ which\ is\ a$ tributary of the Allegheny River, a tributary of the Ohio River, a navigable water of the United States.

Page 5

- 5. Is the **discharge** of "contaminated" groundwater into surface water likely to be "**insignificant**" (i.e., the maximum concentration³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?
 - X If yes skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
 - If no (the discharge of "contaminated" groundwater into surface water is potentially significant) continue after documenting: 1) the maximum known or reasonably suspected concentration³ of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

____ If unknown - enter "IN" status code in #8.

Rationale and Reference(s): The facility has a NPDES permit for the discharge of storm water and non-contact cooling water (from the on-site production well) to the East Branch of Tunungwant Creek. The facility currently is in compliance with its permit conditions.

.

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

Page 6

6.	Can the discharge of "contaminated" groundwater into surface water be shown to be " currently acceptable" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ⁴)?		
	_N/A	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, ⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bioassays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.	
	_N/A	If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body,	

Rationale and Reference(s): N/A = Not Applicable - See Item #5.

_N/A____

sediments, and/or eco-systems.

If unknown - skip to 8 and enter "IN" status code.

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7

7.	Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as
	necessary) be collected in the future to verify that contaminated groundwater has remained within the
	horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"

X	If yes - continue after providing or citing documentation for planned activities or future		
	sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that		
	groundwater contamination will not be migrating horizontally (or vertically, as necessary beyond the "existing area of groundwater contamination."		
	If no - enter "NO" status code in #8.		
	If unknown - enter "IN" status code in #8.		

Rationale and Reference(s): Since TCE, Chromium and Nickel contaminants in groundwater were slightly above the Act 2's MSCs and EPA's MCLs standards, (refer Item #2 for comparison), EPA has determined that no further groundwater monitoring is necessary at this time. In fact, groundwater had only 2 contaminated constituents, namely, Chromium and TCE. since the MCL for Nickel had been withdrawn. However, EPA reserves the right to re-evaluate when the Agency becomes aware of significant changes at the facility.

Page 8

8.	EI (event code C	Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).		
	X	YE - Yes, "Migration of Contaminated Groundwater Under Control" has be verified. Based on a review of the information contained in this EI determined that the "Migration of Contaminated Groundwater" "Under Control" at the Bradford Electronics, Inc facility, EPA ID # PAD 0 2258, located at 550 High Street in Bradford, PA 16701. Specifically, this determination indicates that the migration of "contaminated" groundwater under control, and that monitoring can be conducted to confirm that contaminated groundwater remains within the "existing area of contaminate groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.		
		NO - Unacceptable migration of contamin	ated groundwater is observed or expected.	
		IN - More information is needed to make a	determination.	
	Completed by	(signature) /Hon Lee (print) Hon Lee (title) Remedial Project Manager	Date: <u>08-16-00</u>	
	Supervisor	(signature) /Paul Gotthold (print) Paul Gotthold	Date: <u>09-27-00</u>	

Locations where References may be found:

(title) PA Operations Branch Chief (EPA Region or State) EPA, Region 3

US EPA Region III, 3WC22, 1650 Arch Street, Philadelphia, PA 19103 EPA Administrative Records - Environmental Indicator Inspection Report for Bradford Electronics, Inc. Bradford, PA EPA ID# PAD146762258

Contact telephone and e-mail numbers:

(name) Hon Lee (phone #) 215-814-3419 (e-mail) lee.hon@epa.gov